

RIARDO


PT06 - LAMP HEAD



A high performance and stylish street light for use in multiple applications. Decorative sphere-shaped design with opal polycarbonate UV stabilised diffuser. The body is polycarbonate with a black finish and quick-lock system. Post-top installation with three screws on poles of Ø60mm, supplied with a flange mounting plate.

PRODUCT SPECIFICATIONS

Wattage:	32W / 44W / 64W
Efficacy:	~93Lm/W
CCT:	3000K / 4000K
CRI:	>80
Driver Type:	Fixed Output / DALI
Construction:	Polycarbonate
Diffuser:	Opal
Colour:	White & Black
IP Rating:	IP54
Mounting:	Ø60mm Pole Socket
Light Source:	LED
LED Lifetime:	50000/L80B50
SDCM:	3



RIARDO


PT06 - LAMP HEAD

CODING MATRIX

Use the **BOLD** characters to create your specified code:

Family	Power	Lumens	CCT	Dimming
PT06	-32W	32W	2928lm	-3K
	-44W	44W	4170lm	3000K
	-64W	64W	5855lm	-4K
	<i>(lumens stated are for 4000K)</i>		4000K	None
				(Blank)
				-DA
				DALI

DIMENSIONAL DIAGRAM



RIARDO

PT06 - LAMP HEAD

