

LIVORNO


TL01 - LINEAR TRACK LIGHT



Linear track mounted luminaire with multiple optic options for functional, retail or display lighting. Optics include narrow beam, wide beam, asymmetric and double asymmetric. Steel body with powder coated finish and supplied with track adaptors. This luminaire is designed to be fixed to surface or recessed tracks with options for 3-phase or DALI.

PRODUCT SPECIFICATIONS

Wattage:	12W - 41W
Efficacy:	~167Lm/W
CCT:	3000K / 4000K
CRI:	>80
Beam Angle:	30° / 75° / 90° / Asymmetric / Double Asymmet
Driver Type:	Fixed Output / DALI
Construction:	Steel body
Diffuser:	Translucent Optical Lens
Colour:	White / Black
IP Rating:	IP20
IK Rating:	IK02
Mounting:	Track
Light Source:	LED



LIVORNO


TL01 - LINEAR TRACK LIGHT

CODING MATRIX

Use the **BOLD** characters to create your specified code:

Family	Power	Lumens	Length	CCT		Dimming		Optics		Colour		
TL01	-12W	12W	1859lm	575mm	-3K	3000K	(Blank)	None	-30DEG	30 Degrees	(Blank)	White
	-16W	16W	2704lm	575mm	-4K	4000K	-DA	DALI	-75DEG	75 Degrees	-BLK	Black
	-22W	22W	3698lm	575mm					-90DEG	90 Degrees		
	-17W	17W	2788lm	855mm					-ASYM	Asymmetric		
	-23W	23W	4056lm	855mm					-DASYM	Double Asymmetric		
	-32W	32W	5547lm	855mm								
	-22W	22W	3717lm	1135mm								
	-30W	30W	5408lm	1135mm								
	-41W	41W	7396lm	1135mm								
	(lumens stated are for 4000K)											

DIMENSIONAL DIAGRAM



LIVORNO

TL01 - LINEAR TRACK LIGHT

